

Exhibit 20 to the Olivia Weber Declaration

Brocade G630 Switch

FIND A PARTNERREQUEST INFO

Increase scalability, respond to dynamic demands, optimize space utilization

OVERVIEW SPECIFICATIONS DOCUMENTATION OPTIONAL PRODUCTS

Specification	Value
Lifecycle	Active
Bandwidth	4
Bandwidth UOM	Tb/s
Total Line Rate Ports	48 to 128 @ 32 Gb/s
Power Text	0.23 watts / Gb/s, dual hot-swappable power supplies
Frame Based ISL Trunking	256 Gb/s frame-based trunk (optional)
Access Gateway	Not available
FICON Support	Not available
Size (mm)	440.0 (W) x 86.70 (H) x 609.60 (D)
Certified Maximum	Single fabric: 56 domains, 7 hops MPR fabric: 19 hops
Fibre Channel Performance	Fibre Channel: 4.25 Gbps line speed, full duplex; 8.5 Gbps line speed, full duplex; 14.025 Gbps line speed, full duplex; 28.05 Gbps line speed, full duplex; auto-sensing of 4, 8, 16, and 32 Gbps port speeds. Fibre Channel: 4.25 Gbps line speed, full duplex; 8.5 Gbps line speed, full duplex; 14.025 Gbps line speed, full duplex; 28.05 Gbps line speed, full duplex; auto-sensing of 4, 8, 16, and 32 Gbps port speeds. Auto-sensing of 4x32, 4x16, 4x8, 4x4 Gbps speeds on the QSFP ports with Brocade FOS v8.2.0.

PREVIOUSLY VIEWED

TOP

PRODUCTS SOLUTIONS SUPPORT HOW TO BUY COMPANY

Copyright © 2005-2020 Broadcom. All Rights Reserved. The term "Broadcom" refers to Broadcom Inc. and/or its subsidiaries.

Privacy Supplier Responsibility Terms of Use Sitemap



Brocade G630 Switch

FIND A PARTNER

REQUEST INFO

Increase scalability, respond to dynamic demands, optimize space utilization

OVERVIEW SPECIFICATIONS DOCUMENTATION OPTIONAL PRODUCTS

Expand All Collapse All

Administration Guide 2

Current

Title	Date	OS	Type	Alert
Brocade Fabric OS Web Tools Administration Guide, 8.2.1x Brocade Web Tools is an embedded GUI that enables administrators to monitor and manage single or small fabrics, switches, and ports. Web Tools is launched directly from a Web browser or from Brocade Network Advisor. This document contains the system requirements and features of Web Tools. Version: 8.2.1x File Size: 4771 KB Language: English	06/03/2017	Fabric OS 8.2.1x		Create
Brocade Fabric OS Administration Guide, 8.2.x Version: 8.2.1x File Size: 8381 KB Language: English	06/03/2017	Fabric OS 8.2x		Create

Article 2 1

Current

Title	Date	Type	Alert
ESG: The Silent Threat of Configuration Drift File Size: 297 KB Language: English	05/25/2019		Create
ESG Storage Architecture Considerations: SAN and HCI paper File Size: 206 KB Language: English	07/25/2018		Create




Compatibility Document 3 1

Current | Archive

Title	Date	OS	Type	Alert
Brocade Fabric OS 8.x Open Systems Compatibility Matrix This document summarizes equipment known to be compatible with the Brocade FOS 8.x family. Version: 8.x File Size: 308 KB Language: English	05/15/2020	Fabric OS 8.x		Create
Brocade Transceiver Support Matrix Check this matrix to identify the transceivers supported for your Brocade products. File Size: 142 KB Language: English	03/22/2019			Create



FAQs 3 ⓘ

Current

Title	Date	Type	Alert
Brocade Fabric Vision Technology Frequently Asked Questions File Size: 207 KB Language: English	12/04/2018		+ Create
Brocade G610, G620, and G630 Switches Frequently Asked Questions Brocade provides the industry's leading Gen 6 Fibre Channel family of Storage Area Network (SAN) switches, including Brocade G610, G620, and G630 Switches. File Size: 274 KB Language: English	12/04/2018		+ Create
Brocade Network Advisor FAQ Frequently Asked Questions for the Brocade® Network Advisor. File Size: 231 KB Language: English	04/10/2018		+ Create


Infographic 2 ⓘ

Current

Title	Date	Type	Alert
5 Things a Fibre Channel SAN Fabric Can Do for You File Size: 186 KB Language: English	03/22/2020		+ Create
HCI: HYPE vs REALITY File Size: 326 KB Language: English	11/05/2017		+ Create


Installation Guide 1 ⓘ

Current

Title	Date	Type	Alert
Brocade G630 Switch Hardware Installation Guide This hardware installation guide contains procedures and safety requirements for installing the Brocade G630 Switch into a rack system or as a stand-alone device. Also provided are steps to initially configure the switch for operation, verify and monitor operation, replace switch FRUs, and install transceivers and cables. File Size: 3860 KB Language: English	04/22/2019		+ Create

PEIS & RoHS 1

Current

Title	Date	Type	Alert
RoHS Certificate of Compliance - Brocade G630 Switch File Size: 102 KB Language: English	04/09/2018		+ Create

Product Brief 2 ⓘ

Current

Title	Date	Type	Alert
-------	------	------	-------

Brocade SANnav Management Portal and Global View Product Brief

07/20/2020



Create

File Size: 533 KB
Language: English

Brocade G630 Switch Product Brief

12/03/2018



Create

This document describes the Brocade G630 Switch.

File Size: 187 KB
Language: English

Recycling Instructions 1

Current

Title	Date	Type	Alert
Brocade G630 WEEE - Recycling Instructions File Size: 187 KB Language: English	04/09/2018		Create

Reference Manual 2

Current

Title	Date	OS	Type	Alert
Brocade Fabric OS MIB Reference Manual, 8.2.x File Size: 760 KB Language: English	09/12/2019			Create
Brocade Fabric OS Command Reference, 8.2.0a BSN Version: 8.2.0a File Size: 5360 KB Language: English	06/03/2017	Fabric OS 8.2.0a		Create

Solution Brief 1

Current

Title	Date	Type	Alert
Brocade and ATTO Modernize Digital Media and Entertainment with Gen 6 Fibre Channel Partner Brief File Size: 342 KB Language: English	04/24/2017		Create

Technical Brief 1

Current

Title	Date	Type	Alert
Target Credit Stall—An Investigation Report, FOS 8.2.1 File Size: 196 KB Language: English	02/19/2020		Create

Test Report 2

Current

Title	Date	OS	Type	Alert
Brocade Fabric Technology with the Infinidat InfiniBox F-Series Array Validation Test Report, FOS 8.2.1 File Size: 196 KB Language: English	05/08/2019	Fabric OS		Create

storage array in a Brocade FC fabric containing Gen 5 and Gen 6 FC switches. This document provides a test report on the SFR qualification test plan executed on the InfiniBox storage array.

File Size:
7919 KB

Language:
English

Brocade Fabric Technology with the Tegile T3100 Hybrid Flash Array Validation Test Report, FOS 7.4.1, 8.0.1, 8.1.0, 8.2.0, & 8.2.1

The goal of this document is to demonstrate the compatibility of the Tegile T3100 FC storage array in a Brocade FC fabric containing Gen 5 (16 Gb) and Gen 6 (32 Gb) FC switches. This document provides a test report on the SFR qualification test plan executed on the Tegile T3100 storage array.

File Size:
1212 KB

Language:
English

06/03/2017

Fabric OS



[+](#)
Create

User Guide 6 i




Current




Title	Date	OS	Type	Alert
Brocade Fabric OS Software Licensing User Guide, 8.2.x Version: 8.2.x File Size: 794 KB Language: English	06/03/2020	Fabric OS 8.2.x		+ Create
SAN Fabric Resiliency and Administration Best Practices User Guide File Size: 519 KB Language: English	04/30/2020			+ Create
Brocade Fabric OS MAPS User Guide, 8.2.x Version: 8.2.x File Size: 1164 KB Language: English	03/26/2020	Fabric OS 8.2.x		+ Create
Brocade SAN Scalability Guidelines for Fabric OS 8.X Version: 8.X File Size: 630 KB Language: English	03/12/2019	Fabric OS 8.X		+ Create
Brocade Flow Vision Configuration Guide, 8.2.0 Version: 8.2.0a File Size: 1956 KB Language: English	06/03/2017	Fabric OS 8.2.0a		+ Create
Brocade Fabric OS FIPS Cryptographic Module 8.2.x User Guide Brocade Fabric OS software uses the Brocade Fabric OS FIPS Cryptographic Module 8.2.x library to perform cryptographic functions. The module must be used in a FIPS-compliant operational environment along with the proper device configuration. This document provides the required conditions and configurations for a device to operate in a FIPS 140 ... Version: 8.2.x File Size: 551 KB Language: English	06/03/2017	Fabric OS 8.2.x		+ Create

White Papers 7 i

Current

Title	Date	Type	Alert
Planning for the Transition to Production-Ready NVMe over Fabrics Deployments in the Enterprise File Size: 179 KB Language: English	04/17/2020		+ Create
NVMe over Fibre Channel Addresses the Accelerated Data Requirements of the Future File Size: 306 KB Language: English	08/08/2019		+ Create
Unleash the Power of NVMe with Fibre Channel File Size: 1587 KB Language: English	06/28/2019		+ Create
ESG: The Performance Benefits of Fibre Channel Compared to iSCSI for All-flash Storage Arrays Supporting Enterprise Workloads File Size: 395 KB Language: English	07/24/2018		+ Create

Maximize the All-Flash Data Center with Brocade Gen 6 Fibre Channel White Paper Maximize All Flash DC with Brocade Gen 6-FC File Size: 466 KB Language: English	04/10/2018		+ Create
Automating the Fibre Channel Data Center Leveraging Brocade's Automation Technology to Deliver a Modern Data Center File Size: 525 KB Language: English	04/10/2018		+ Create
Benefits of Gen 6 Fibre Channel for the All-Flash Data Center This document describes the benefits of Gen 6 Fibre Channel for the All-Flash Data Center File Size: 723 KB Language: English	04/10/2018		+ Create

eBook	3	1	
Current			
Title	Date	Type	Alert
NVMe over Fibre Channel for Dummies, 2nd Edition File Size: 1907 KB Language: English	01/17/2020		+ Create
Networking Next-Gen Storage for Dummies Book File Size: 2824 KB Language: English	12/08/2019		+ Create
SAN Automation for Dummies This book is for storage administrators as well as for automation engineers who may need to collaborate with storage teams to automate storage-related activities. File Size: 2500 KB Language: English	04/09/2018		+ Create

PREVIOUSLY VIEWED

TOP

PRODUCTS SOLUTIONS SUPPORT HOW TO BUY COMPANY

Copyright © 2005-2020 Broadcom. All Rights Reserved. The term "Broadcom" refers to Broadcom Inc. and/or its subsidiaries.

Privacy Supplier Responsibility Terms of Use Sitemap



Internet Archive

Wayback Machine

15 captures

13 Aug 2018 - 5 Jul 2022

https://www.broadcom.com/products/fibre-channel-networking/switches/g630-switch

Go


AUG

AUG 15 2020

SEP

2021

About this capture

BROADCOM®

PRODUCTS

SOLUTIONS

SUPPORT

HOW TO BUY

COMPANY

LOGIN

ENGLISH

SEARCH

Q

Products / Fibre Channel Networking / Switches / Brocade G630 Switch

Print

Share Page

Brocade G630 Switch

FIND A PARTNER

REQUEST INFO

Increase scalability, respond to dynamic demands, optimize space utilization

OVERVIEW

SPECIFICATIONS

DOCUMENTATION

OPTIONAL PRODUCTS



Brocade Transceiver Modules
Optical Transceivers for the Highest-Performance Data Center Fabrics



Brocade G610 Switch
Affordable, flash-ready switch delivers enterprise availability



Brocade SX6 Extension Blade
Multi-protocol extension solution delivers business resiliency at scale

PREVIOUSLY VIEWED

PRODUCTS

SOLUTIONS

SUPPORT

HOW TO BUY

COMPANY

Copyright © 2005-2020 Broadcom. All Rights Reserved. The term "Broadcom" refers to Broadcom Inc. and/or its subsidiaries.
[Privacy](#) [Supplier Responsibility](#) [Terms of Use](#) [Sitemap](#)







